RKSfluid®
A key Valve in Flow Control
Butterfly Valve
Ball Valve
Gate Valve
Globe Valve
Check Valve
Pipe Fittings

Design Features

DURABLE

- Blow-out proof structure
- **Precision casting** WCB/CF8M Bodies
- **Coaxial ring construction**: anti-attrition, long life
- **ISO5211** Mounting platform, simple connection

QUALITY STANDARD

- **100% quality test**, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API

Application Scenario

Our Factory

area □□□: □□□

Ⅱ□□□

reference □□□

Ⅳ□□□

Standard □□□: GB, □□□, □□□, TUV CE, ISO 9001,

ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI □□□□□□□□□□□□: □□□□□□□□□□□□□, □□□□□□□□□, □□□□□□□□□□□, □□□□□□□□□□□□□, □□□□□□□□□, □□□□□□□□□□□, □□□□□□ / □□□□□□□□□ / □□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□

Exhibition Photos

□□□□□□□□□□□□□□□□□□□

□□□: □□
□□□: □□

□□□: □□□
A: □□□□□□□□□□, □□□□□□, Hrdraulic, □□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□ RKSfluid □□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
A: RKSfluid □□□

Q: □□□□□□□□□□□□□□□□□□
A: □□□□□□□□□□□□□□□□□□□□□□□□□□□□ 2 ~ 5 □□□□□□□□□□□ □□

Q: □□□□□□□□□□
A: 1 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
A: 100% □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 2 □□ □□□
□□□□□□□
□□□□□□□□□□□ TUV, API, WRAS, CE, ISO □□□□□□□
□□□□□□□□□□□□□□□□□□□□ DIN, ASME, BS EN, JIS, API, AWWA

[illegible]: [illegible]

A: RKSfluid [illegible] 20 [illegible] 70 [illegible]
[illegible]