



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

Product Description



Super Anti-corrosion
Epoxy powder coating **200-250µm**,
baking varnish over **200°C**,
use  material.



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



Three locking tab for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign bodies** at the stem.



Male guiding system with composite sliding skate reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).



New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

Engineering Projects



Product Category





area 应用范围: 适用于各种工业和民用建筑, 如工厂、仓库、学校、医院、酒店、住宅等。

centers 中心: 位于主要交通干道, 交通便利, 周边配套设施完善。

reference 参考: 请参考相关规范和标准, 如 GB、ISO 9001 等。

IV 认证: 已获得 ISO 9001 质量管理体系认证, 符合相关行业标准。

Standard 标准: GB, 符合 ISO 9001, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 应用: 广泛应用于工业和民用建筑, 如工厂、仓库、学校、医院、酒店、住宅等。

Our Factory



A: 100% Hydraulic, Hydraulic, Hrdraulic, 100% Hydraulic RKSfluid 100% Hydraulic

Q: 100% Hydraulic

A: RKSfluid 100% Hydraulic

Q: 100% Hydraulic

A: 100% Hydraulic 2 ~ 5 100% Hydraulic

Q: 100% Hydraulic

A: 1 100% Hydraulic

Q: 100% Hydraulic

A: 100% Hydraulic 2 100% Hydraulic

100% Hydraulic TUV, API, WRAS, CE, ISO

100% Hydraulic DIN, ASME, BS EN, JIS, API, AWWA

Q: 100% Hydraulic

A: RKSfluid 100% Hydraulic 20 R&D 70 100% Hydraulic