





RKSfluid®


A key Valve in Flow Control







The composite seat of the RKS valve is formed by permanently gluing an elastomer to a rigid gasket ring. In addition to superior seal integrity, this design makes valve installation easier while reducing high torque and premature failure due to rubber deformation. Modular design simplifies seat replacement and ensures economical maintenance



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug




Water transport





Our Factory



Company Advantages



I. 21 years of professional experience

II. Independent research and development team
28 top senior professional researchers

III. 100% high level ex-factory inspection

IV. 2 years quality assurance, repair and replacement

V 认证标准: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 认证标准: 中国强制性产品认证, 欧盟 CE 认证, 美国 UL 认证, 德国 TUV 认证, 英国 BS 认证, 加拿大 CSA 认证, 澳大利亚 SAA 认证 / 其他国际认证 / 其他, 其他国际认证

Exhibition Photos



Q: 2023年10月10日（星期三）下午2:00-3:00

Q: RKSfluid 2023年10月10日（星期三）下午2:00-3:00 R&D 70 2023年10月10日（星期三）下午2:00-3:00