




# RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve




Globe Valve





Check Valve




Pipe Fittings





The composite seat of the RKS valve is formed by permanently gluing an elastomer to a rigid gasket ring. In addition to superior seal integrity, this design makes valve installation easier while reducing high torque and premature failure due to rubber deformation. Modular design simplifies seat replacement and ensures economical maintenance



## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





## Our Factory





## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



area 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.

centers 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.

reference 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.

IV 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.

Standard 认证: GB, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 认证: CE, ISO 14001, ISO 9001, ISO 45001, ISO 50001, ISO 26001, ISO 27001, ISO 28000 / ISO 29000 / ISO 31000, ISO 34000

## Exhibition Photos







**000:** 000000000000000000000000000000000000  
**000:** 000000000000000000000000000000000000

A: RKSfluid

Q:

A: 1

000: 00000000000000000000000000000000  
 A: 100% 00000000000000000000000000000000 2 00 00000000000000000000000000000000  
 000000  
 00000000 TUV, API, WRAS, CE, ISO 000000  
 0000000000000000 DIN, ASME, BS EN, JIS, API, AWWA

:

A: RKSfluid 20 R&D 70