

DESIGN FEATURES

HIGHLY CUSTOMIZABLE

- According to **customer requirements**



OPTIMAL SEALING

- AWWA-C219 **absolutely leakproof**
- Internal ebonite rubber lining

CLASSIC & STURDY DESIGN

- Longitudinal adjustment of **+/- 25mm**
- **Super large Dia & Even pressures up to 100 bar**
- **Cost-effective**, alternative for duplex stainless steel on desalination application

APPLICATION

- Perfect solution for all standard and non-standard applications in challenging famous projects worldwide
- Desalination, water pipes and **various application**

DURABLE

- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL



- Epoxy powder: **AkzoNobel**, Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%**!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**



APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewagetreatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

02
4 factories

04
2 professional testing centers

06
High quality imported materials



I 企业优势：21年专业经验，独立研发团队，28位资深专业研究人员。

II 企业优势：4家工厂，2个专业检测中心，高品质进口材料。

III 企业优势：2年质量保证、维修和更换服务。

IV 企业优势：通过GB、ISO 9001、CE、TUV等认证。

V 企业优势：GB, ISO 9001, CE, TUV, ISO 9001,

VI လုပ်ငန်းများ: လူတစ်ရပ်လီ, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ် / လူတစ်ရပ် / လူတစ်ရပ်, လူတစ်ရပ်

Exhibition Photos



Our Certificates



လုပ်ငန်းများ

လုပ်ငန်းများ: လူတစ်ရပ်လီ, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်

လုပ်ငန်းများ: လူတစ်ရပ်လီ, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်

လုပ်ငန်းများ: လူတစ်ရပ်လီ, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်

လုပ်ငန်းများ: လူတစ်ရပ်လီ, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်

လုပ်ငန်းများ: လူတစ်ရပ်လီ, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်, လူတစ်ရပ်

問：您公司有哪種規格的閥門？

答：RKSfluid 公司有生產各種規格的閥門，包括：

問：閥門的規格是什麼？

答：閥門的規格範圍為 2 ~ 5000 mm，具體規格請參見相關技術資料。

問：閥門的材料？

答：1 級不鏽鋼閥門

問：閥門的規格是什麼？

A: 閥門的規格範圍為 100% 不鏽鋼閥門，規格範圍為 2 至 5000 mm，具體規格請參見相關技術資料。

閥門的規格範圍為 TUV, API, WRAS, CE, ISO

閥門的規格範圍為 DIN, ASME, BS EN, JIS, API, AWWA

問：閥門的規格是什麼？

A: RKSfluid 公司有生產各種規格的閥門，規格範圍為 27 號至 70 號，具體規格請參見相關技術資料。