



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings



Introduction



Our Aluminum valve handwheel gearbox, 90 ° slewing drive device is suitable for butterfly valve, ball valve and plug valve and so on. The aluminum alloy material body after static electricity powder coating has an excellent appearance, strong adhesion/mechanical property and anti-corrosion/wear resistance.

Square: 8/ 9/ 11/ 14/ 17/ 19/ 22/ 27

ISO 5211 Flange Type: F05/ F07/ F09/ F10/ F12/ F14/ F16/ F25


Features



- ◆ ISO 5211 direct mount patterns.
- ◆ Filled with special lubricant before leaving the factory.
- ◆ Weatherproof is IP 65.
- ◆ The output torque range: 180-5500NM
- ◆ 5 degrees angle adjusting.
- ◆ All aluminum shell light and beautiful.

Application Scenario





APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HVAC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance,
repair and replacement

02
4 factories

04
2 professional testing centers

06
High quality imported materials



РКС
RKS

ГОСТ, ISO, API, US Agent, TUV CE ADWO-

2000,

ISO9001, TS, API Standards: ГОСТ, ISO, API, TUV CE ADWO-
2000,
ISO9001: Bonnets, Saddles, Flanges, Gaskets, Bolts, Nuts, Washers,

Saddles "Saddles" Flanges "Flanges"
Gaskets "Gaskets"

WRC WRAS KTW API 6D API609!

!Gaskets: Gaskets Flanges Gaskets Flanges Gaskets Flanges

II Gaskets Flanges Gaskets Flanges Gaskets Flanges

reference Gaskets Flanges Gaskets Flanges Gaskets Flanges

IV Gaskets Flanges Gaskets Flanges Gaskets Flanges

Standard Gaskets Flanges: GB, ISO, API, TUV CE, ISO 9001,
ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI Gaskets Flanges: Gaskets Flanges Gaskets Flanges Gaskets Flanges Gaskets Flanges
Gaskets / Gaskets / Gaskets Gaskets Gaskets

Exhibition Photos



Our Certificates



www.rksfluid.com

Address: No. 100, Shuanghe Industrial Park, Shuanghe Town, Shuanghe District, Linyi City, Shandong Province, China.

Tel: +86-539-82188888 Fax: +86-539-82188889 Email: sales@rksfluid.com

Q: რა გვისაჟღონის მატერიალი გადასაცვლის დროს
A: სუბსტანცია, სილიკონი, Hrdraulic, რეზინა და მეტყველებული RKSfluid მატერიალი

Q: რა გვისაჟღონის მატერიალი გადასაცვლის დროს
A: RKSfluid მატერიალი გადასაცვლის დროს 1 წელი

Q: რა გვისაჟღონის მატერიალი გადასაცვლის დროს
A: რეზინა 2 ~ 5 წელი მატერიალი გადასაცვლის დროს

Q: რა გვისაჟღონის მატერიალი გადასაცვლის დროს
A: 1 წელი მატერიალი გადასაცვლის დროს

Q: რა გვისაჟღონის მატერიალი გადასაცვლის დროს
A: 100% რეზინა 2 წელი მატერიალი გადასაცვლის დროს
მატერიალი TUV, API, WRAS, CE, ISO დანართი
მატერიალი DIN, ASME, BS EN, JIS, API, AWWA

Q: რა გვისაჟღონის მატერიალი გადასაცვლის დროს
A: RKSfluid მატერიალი 20 წელი მატერიალი R&D დანართი 70 წელი მატერიალი