

DESIGN FEATURES

HIGHLY CUSTOMIZABLE

ALIMAN MARIAN MA

According to customer requirements

OPTIMAL SEALING

- AWWA-C219 absolutely leakproof
- Internal ebonite rubber lining



- Longitudinal adjustment of +/- 25mm
- Super large Dia & Even pressures up to 100 bar
- Cost-effective, alternative for duplex stainless steel on desalination application

APPLICATION

- · Perfect solution for all standard and nonstandard applications in challenging famous projects worldwide
- Desalination, water pipes and various application

DURABLE

- ANTI-CORROSION
- Thickness: Epoxy powder coating of 150-200μm
- Temperature: Spraying temperature over 200 ℃. Doesn't fade, even wipe with diethyl ether

MATERIAL

· Epoxy powder:



- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over 95%!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel AISI316-A4





APPLICATION SCENARIO

















Industrial water

Hydroelectric

Sewagetreatment Water treatment

Water supply

Water transpor

Pipe network

Irrigation









Our Factory







I Business area: fluid control products, technology and environmental protection products.

Il Advanced CNC machining centers, professional process cells, welding equipment, automatic assembly lines and coating.

III China's standard reference unit, to participate in the development of relevant valve industry standards.

IV We have set up a research and development center in Houston, Texas, in the United States.

V Product Standard: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI Main production: butterfly valve, ball valve, gate valve, check valve, globe valves, pipe fittings, manual / pneumatic / electric actuator, valve parts.





FAQ

Q: If I need quotation, what informations do we need?

A: Valves' materials, Temperature, Pressure, Medium, Appllication System.

Q: Can you provide actuators, what you have?

A: Pneumatic, Electric, Hrdraulic, Solenoid Valves. RKSfluid actuators adopt USA technology. Which you need, just tell us.

Q: What's your productive capacity?

A: RKSfluid has four plants that can provide the products you need.

Q: Production lead time

A: Normal products have stock in 2~5 working days. Customized base on your need.

Q: MOQ

A: 1pc for all products.

Q: How about the quality assurance?

A: 100% quality test before delivery, 2 years warranty. Ensure your system working safety. We got TUV, API, WRAS, CE, ISO certification.

Standard conform to DIN, ASME, BS EN, JIS, API, AWWA.

Q: How could you provide quality service to our customers?

A: RKSfluid own 20 years experiences and more than 70 R&D engineers provide technical support, model selection and installation guidance for you.