


Low pressure drop and 100% watertight, low torque.

Size range: DN20, DN25, DN32, DN40, DN50

Wedge core: brass for DN20-32, DI for DN40-50

- Threaded connection, BSPP, BSPT, NPT
- 100% sealing test
- 100% tightness Bi-directional flow.
- Low pressure drop.
- Detachable in load.
- Screws protected against external dirt WRAS approved for potable water upon request.
- Hydraulic tests according to EN-12266-1, Class A
- Designed to EN1074-2
- BSP threads to EN10226/1 or EN ISO 228-1 G thread NPT threads upon request



Size	G (inch) BSP thread	L (mm) end-end	H (mm)	P (mm)	Torque (N.m)
DN20	3/4"	95	145	27	15N.m
DN25	1"	105	145	30	15N.m
DN32	1 1/4"	120	150	32	15N.m
DN40	1 1/2"	130	202	37	30N.m
DN50	2"	150	197	45	30N.m



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



I Business area: fluid control products, technology and environmental protection products.

II Advanced CNC machining centers, professional process cells, wide-range welding equipment, automatic assembly lines and coating.

III China's standard reference unit, to participate in the development of relevant valve industry standards.

IV We have set up a research and development center in Houston, Texas, in the United States.

V Product Standard: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI Main production: butterfly valve, ball valve, gate valve, check valve, globe valves, pipe fittings, manual / pneumatic / electric actuator, valve parts.

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



FAQ

Q: If I need quotation, what informations do we need?

A: Valves' materials, Temperature, Pressure, Medium, Applplication System.

Q: Can you provide actuators, what you have?

A: Pneumatic, Electric, Hrdraulic, Solenoid Valves. RKSfluid actuators adopt USA technology. Which you need, just tell us.

Q: What's your productive capacity?

A: RKSfluid has four plants that can provide the products you need.

Q: Production lead time

A: Normal products have stock in 2~5 working days. Customized base on your need.

Q: MOQ

A: 1pc for all products.

Q: How about the quality assurance?

A: 100% quality test before delivery, 2 years warranty. Ensure your system working safety.

We got TUV, API, WRAS, CE, ISO certification.

Standard conform to DIN, ASME, BS EN, JIS, API, AWWA.

Q: How could you provide quality service to our customers?

A: RKSfluid own 27 years experiences and more than 70 R&D engineers provide technical support, model selection and installation guidance for you.